

Declaration of performance

1309-CPR-0413

Version: 03

1. Door hinge model: KT-B 6R, KT-B 6R FIX , in 2 parts
2. Ident. No.: P604_XXXX, P605_XXXX, P615_XXXX, K600B0062, K600B0063, K600B0064, P604_XFXX, P605_XFXX, P615_XFXX, P625_XFXX
3. Intended use: Doors
4. Manufacturer: Dr. Hahn GmbH & Co. KG
Postfach 30 01 09
41181 Mönchengladbach
5. System for the assessment of the constancy of performance: 1
6. Harmonised standard: EN 1935:2002/AC:2003
7. Notified body: PIV, No. 1309, Prüfinstitut Schlösser und Beschläge, Velbert (Germany) as the notified testing lab in accordance with EN 1935:2002 has performed the initial test regarding 8.1 to 8.9 and has prepared the classification reports
8. Essential characteristics:

Essential characteristic	Performance	Harmonised technical specification
8.1 Usage class	4	EN 1935:2002/AC:2003
8.2 Test cycles in case of continuous operation	200.000	EN 1935:2002/AC:2003
8.3 Mass of the door	160 kg	EN 1935:2002/AC:2003
8.4 Fire resistance	0	EN 1634-1
8.5 Safety	1	EN 1935:2002/AC:2003
8.6 Corrosion resistance	0/4/5	EN 1670:2007
8.7 Anti-burglary resistance/protection	1	EN 1935:2002/AC:2003
8.8 Hinge class	14	EN 1935:2002/AC:2003
8.9 Dangerous substances	-	EN 1935:2002/AC:2003

9. The performance of the product listed under Nos. 1 and 2 corresponds to the declared performance listed under No. 8.

Signed for the manufacturer and on behalf of the manufacturer by:



Falk Füllgraf
Head of Application Engineering
Mönchengladbach, 16.12.2021



PIV Prüfinstitut Schlösser und Beschläge Velbert
Wallstraße 41 – D 42551 Velbert
Institutsleitung: Andrea Horsthemke (B.Eng.)
Tel 0049-(0)2051-9506 5
Fax 0049-(0)2051-9506 69
Mail: info@piv-velbert.de



1309

Zertifikat der Leistungsbeständigkeit

1309 - CPR - 0413

(Version: 03)

In Übereinstimmung mit der EU-Verordnung Nr. 305/2011 des Europäischen Parlaments und des Rates vom 9. März 2011 (Bauproduktenverordnung oder CPR) gilt dieses Zertifikat für das Bauprodukt

KT-B 6R
KT-B 6R FIX

Artikelnummer: siehe Anlage zum Zertifikat der
Leistungsbeständigkeit

Ausführung: 2-teiliges Aufschraubband

auf den Markt gebracht unter dem Namen oder der Handelsmarke von

Dr. Hahn GmbH & Co. KG
Trompeterallee 162-170
D-41189 Mönchengladbach

und produziert in der Produktionsstätte

D-41189 Mönchengladbach
Trompeterallee 162-170

Dieses Zertifikat bescheinigt, dass alle Bestimmungen zur Bewertung und Überprüfung der
Leistungsbeständigkeit laut der Beschreibung in Anhang ZA der Norm

EN 1935:2002/AC:2003

im Rahmen des Systems 1 für die Leistung laut den Angaben in diesem Zertifikat angewendet werden,
und dass

die Leistung des Bauprodukts als beständig bleibend bewertet wird.

Produkt Klassifizierungsschlüssel


4	7	7	0	1	0/4 (5*)	1	14
-Eignung für die Verwendung an Türen in Rettungswegen *siehe Anlage zum Zertifikat der Leistungsbeständigkeit							

Dieses Zertifikat wurde erstmals am **18. Juni 2019** ausgestellt und bleibt gültig, bis entweder die
harmonisierte Norm, das Bauprodukt, das System zur Bewertung und Überprüfung der
Leistungsbeständigkeit oder die Produktionsbedingungen im Werk wesentlich verändert werden, oder
bis das Zertifikat von der benannten Zertifizierungsstelle ausgesetzt oder zurückgenommen wird.

D-Velbert, 13. Dezember 2021

Dieses Zertifikat hat insgesamt 5 Seiten
und ersetzt das Zertifikat Nr. 1309-CPR-0413,
Version 02 vom 17.03.2021.




Gregor Röhling, Dipl.-Ing. (FH)
Stellv. Leiter der Zertifizierungsstelle



PIV Prüfinstitut Schlösser und Beschläge Velbert
Wallstraße 41 – D 42551 Velbert
Institutsleitung: Andrea Horsthemke (B.Eng.)
Tel 0049-(0)2051-9506 5
Fax 0049-(0)2051-9506 69
Mail: info@piv-velbert.de



1309

Anlage zum Zertifikat der Leistungsbeständigkeit

1309 - CPR - 0413

(Version: 03)

Wesentliche Merkmale	Abschnitte dieser Europäischen Norm	Mandatierte Stufen und/oder Klassen	Anmerkungen
Selbstschließend Anfangsmessungen des Reibmomentes	5.1		$\leq 4 \text{ Nm}$ (Klasse 14)
Belastung-Verformung	5.2.1		Seitlich $< 2 \text{ mm}$ Vertikal $< 4 \text{ mm}$
Seitliche/Vertikale Verschiebung unter Belastung			liegt innerhalb der gerasterten Fläche in Bild G.1
Seitliche/Vertikale Verschiebung nach dem Entlasten			
Überbelastung	5.2.2		bestanden
Scherfestigkeit	5.3		NPD
Eignung für Brand- und/ oder Rauchschutztüren	5.6	NPD	
Dauerfunktionstüchtigkeit Dauerbetriebsprüfung	5.4	keine	Klasse 7 / 200.000 Zyklen
Seitlicher/Vertikaler Verschleiß			liegt innerhalb der gerasterten Fläche in Bild G.2
Max. zulässiges Reibmoment - nach 20 Zyklen			$\leq 4 \text{ Nm}$ (Klasse 14)
- nach Ende der Prüfung			$\leq 4 \text{ Nm}$ (Klasse 14)
Korrosionsbeständigkeit	5.5	Klasse 0 nach EN 1670: unbeschichtet/ uneloxiert Klasse 4 nach EN 1670, Klasse 5 nach EN 1670:2007/AC:2008: für Oberfläche beschichtet RAL 9016, Hahn-TITAN N	



PIV Prüfinstitut Schlösser und Beschläge Velbert
Wallstraße 41 – D 42551 Velbert
Institutsleitung: Andrea Horsthemke (B.Eng.)
Tel 0049-(0)2051-9506 5
Fax 0049-(0)2051-9506 69
Mail: info@piv-velbert.de



1309

Anlage zum Zertifikat der Leistungsbeständigkeit

1309 - CPR - 0413

(Version: 03)

Wesentliche Merkmale	Abschnitte dieser Europäischen Norm	Mandatierte Stufen und/oder Klassen	Anmerkungen
Gefährliche Substanzen	ZA.1		Der Hersteller erklärt, dass das Produkt keine gefährlichen Stoffe enthält oder freisetzt, die die in den europäischen Normen und in nationalen Vorschriften festgelegten Höchstwerte überschreiten.



PIV Prüfinstitut Schlösser und Beschläge Velbert
Wallstraße 41 – D 42551 Velbert
Institutsleitung: Andrea Horsthemke (B.Eng.)
Tel 0049-(0)2051-9506 5
Fax 0049-(0)2051-9506 69
Mail: info@piv-velbert.de



1309

Anlage zum Zertifikat der Leistungsbeständigkeit


1309 - CPR - 0413

(Version: 03)


Produktmatrix

Produktbezeichnung:	KT-B 6R
---------------------	---------


Artikel-Nr.	A in mm	B in mm	C in mm	D in mm	E in mm	F in mm	EN 1935 [Klasse]
P604_XXXX	78,5-82,5	27	13,5	27,7	20-23	12	14
P605_XXXX	72	27	13,5	20	20-23	12	14
P615_XXXX	68,5 – 76	27	13,5	14,5-20	20-25	12	14
P690_XXXX	92,5	27	13,5	29,5	22,5	12	14
K600B0062	optional						
K600B0063	optional						
K600B0064	optional						




P604_



P604_ / P605_



P615_



P690_



PIV Prüfinstitut Schlösser und Beschläge Velbert
Wallstraße 41 – D 42551 Velbert
Institutsleitung: Andrea Horsthemke (B.Eng.)
Tel 0049-(0)2051-9506 5
Fax 0049-(0)2051-9506 69
Mail: info@piv-velbert.de



1309

Anlage zum Zertifikat der Leistungsbeständigkeit


1309 - CPR - 0413

(Version: 03)


Produktmatrix

Produktbezeichnung:	KT-B 6R FIX
---------------------	-------------


Artikel-Nr.	A in mm	B in mm	C in mm	D in mm	E in mm	F in mm	EN 1935 [Klasse]
P604_OFXX	78,5-82,5	40	13,5	22,7	20-23	12	14
P604_OFXX	87,5-92,5	40	13,5	29,5	20-25	12	14
P605_OFXX	71,5	40	13,5	20	20-23	12	14
P615_OFXX	69,5 – 73,5	40	13,5	20	20	12	14
P625_OFXX	84,5	40	13,5	29,5	13,5	12	14
K600B0062	optional						
K600B0063	optional						
K600B0064	optional						




P604_OFXX



P604_OFXX / P605_OFXX



P615_OFXX



P625_OFXX



PIV Prüfinstitut Schlösser und Beschläge Velbert
Wallstraße 41 – D 42551 Velbert
Institutsleitung: Andrea Horsthemke (B.Eng.)
Tel 0049-(0)2051-9506 5
Fax 0049-(0)2051-9506 69
Mail: info@piv-velbert.de



1309

This document is a translation of the certificate by Dr. Hahn GmbH & Co. KG.

Certificate of constancy of performance

1309 - CPR - 0413

(version:03)

In accordance with EU Regulation No. 305/2011 of the European Parliament and the Council dated 09.03.2011 (Construction Product Regulation - CPR), this certificate is valid for the construction product

KT-B 6R, KT-B 6R FIX

Item number: see attachment to the certificate of constancy of performance

Construction: 2-piece screw-on hinge

brought on the market under the name or brand name of

**Dr. Hahn GmbH & Co. KG
Trompeterallee 162-170
D-41189 Mönchengladbach**

and produced at production site

**D-41189 Mönchengladbach
Trompeterallee 162-172**

This certificate confirms that all provisions regarding the assessment and verification of the of the constancy of performance in accordance with the description in Annex ZA of the standard

EN 1935:2002/AC:2003

are applied in the context of System 1 for the performance in accordance with the specifications in this certificate, and that

the performance of this construction product has been assessed as remaining unchanged.

Product Classification key

4	7	7	0	1	0/4/5*	1	14
- Suited for installation on doors placed along emergency escape routes - see attachment to the certificate of constancy of performance							

This certificate was issued for the first time on 18.06.2019 and remains valid until either the harmonised standard, the construction product, the system for the assessment and verification of the constancy of performance, or the production conditions at the factory are changed significantly, or until the certificate is suspended or withdrawn by the stated certification office.

This certificate has a total of 5 pages and replaces Certificate No.1309-CPR-0413, Version 02 dated 17.03.2021

Englisch



PIV Prüfinstitut Schlösser und Beschläge Velbert
Wallstraße 41 – D 42551 Velbert
Institutsleitung: Andrea Horsthemke (B.Eng.)
Tel 0049-(0)2051-9506 5
Fax 0049-(0)2051-9506 69
Mail: info@piv-velbert.de



1309

This document is a translation of the certificate by Dr. Hahn GmbH & Co. KG.

Attachment to the certificate of constancy of performance

1309 - CPR - 0413

(version:03)

Essential characteristics	Sections of this European Norm	Mandated levels and/or grades	Comments
Self-locking Initial measurements of frictional torque	5.1	none	$\leq 4\text{Nm}$ Category (14)
Stress - deformation Lateral/vertical shifting under stress	5.2.1		lateral < 2 mm vertical < 4 mm
Lateral/vertical shifting after being relieved			is located within the rasterized area in the picture G.1
Overloading	5.2.2		passed
shear strength	5.3		NPD
Suitability for fire doors and/or smoke doors	5.6		NPD
Durable functionality Continuous service test	5.4		Category 7 / 200.000 Cycles
Lateral/vertical wear			is located within the rasterized area in the picture G.2
Max. permissible frictional torque after 20 cycles			$\leq 4\text{Nm}$ Category (14)
after the end of the test			$\leq 4\text{Nm}$ Category (14)
Corrosion resistance	5.5		Category 0 in accordance with EN 1670: uncoated/non-anodised Category 4 in accordance with EN 1670, Grade 5 in accordance with EN 1670:2007 / AC:2008: for surface traffic white RAL 9016 coated, Titan N



PIV Prüfinstitut Schlösser und Beschläge Velbert
Wallstraße 41 – D 42551 Velbert
Institutsleitung: Andrea Horsthemke (B.Eng.)
Tel 0049-(0)2051-9506 5
Fax 0049-(0)2051-9506 69
Mail: info@piv-velbert.de



1309

This document is a translation of the certificate by Dr. Hahn GmbH & Co. KG.

Attachment to the certificate of constancy of performance

1309 - CPR - 0413

(version:03)

Essential characteristics	Sections of this European Norm	Mandated levels and/or grades	Comments
Hazardous substances	ZA.1		The manufacturer declares that the product does not contain or release hazardous substances that exceed the maximum values specified in the European Norms and in national regulations.

Englisch



PIV Prüfinstitut Schlösser und Beschläge Velbert
 Wallstraße 41 – D 42551 Velbert
 Institutsleitung: Andrea Horsthemke (B.Eng.)
 Tel 0049-(0)2051-9506 5
 Fax 0049-(0)2051-9506 69
 Mail: info@piv-velbert.de



1309

This document is a translation of the certificate by Dr. Hahn GmbH & Co. KG.


Attachment to the certificate of constancy of performance

1309 - CPR - 0413


(version:03)

Produktmatrix


Produktbezeichnung:		KT-B 6R					
Artikel-Nr.	A in mm	B in mm	C in mm	D in mm	E in mm	F in mm	EN 1935 [Klasse]
P604_XXXX	78,5-82,5	27	13,5	27,7	20-23	12	14
P605_XXXX	72	27	13,5	20	20-23	12	14
P615_XXXX	68,5 – 76	27	13,5	14,5-20	20-25	12	14
P690_XXXX	92,5	27	13,5	29,5	22,5	12	14
K600B0062	optional						
K600B0063	optional						
K600B0064	optional						




P604_



P604_ / P605_



P615_



P690_



PIV Prüfinstitut Schlösser und Beschläge Velbert
 Wallstraße 41 – D 42551 Velbert
 Institutsleitung: Andrea Horsthemke (B.Eng.)
 Tel 0049-(0)2051-9506 5
 Fax 0049-(0)2051-9506 69
 Mail: info@piv-velbert.de



1309

This document is a translation of the certificate by Dr. Hahn GmbH & Co. KG.

Attachment to the certificate of constancy of performance


1309 - CPR - 0413

(version:03)


Produktmatrix

Produktbezeichnung:	KT-B 6R FIX
---------------------	-------------


Artikel-Nr.	A in mm	B in mm	C in mm	D in mm	E in mm	F in mm	EN 1935 [Klasse]
P604_0FXX	78,5-82,5	40	13,5	22,7	20-23	12	14
P604_0FXX	87,5-92,5	40	13,5	29,5	20-25	12	14
P605_0FXX	71,5	40	13,5	20	20-23	12	14
P615_0FXX	69,5-73,5	40	13,5	20	20	12	14
P625_0FXX	84,5	40	13,5	29,5	13,5	12	14
K600B0062	optional						
K600B0063	optional						
K600B0064	optional						




P604_0FXX



P604_0FXX / P605_0FXX



P615_0FXX



P625_0FXX

Declaration of Conformity

REACH Regulation EC 1907/2006

Dear customer,

On 1 June 2007, the EC Regulation 1907/2006 to register, evaluate, authorise and restrict chemical substances (REACH) entered into force. The aim is to register and evaluate all chemicals used in the European Union.

Dr. Hahn GmbH & Co. KG manufactures door hinges and is thus a manufacturer of "products". We do not produce chemical substances ourselves, rather, we utilise them exclusively as aids in our production. Being such a "downstream user", we are not obligated to do any pre-registration ourselves; we depend, however, on our upstream suppliers' information and, in particular, registration of the chemical substances being used. The pre-registration phase, which ended on 1 December 2008, has been concluded in the meantime and so far has not resulted in any recognisable restrictions to our product and service programs.

Based on our current knowledge and the information provided by our upstream suppliers to date, the products we have so far supplied to you do not contain any substances that are included in the List of Substances of Very High Concern (SVHC; of 20 June 2013) as regards Annex XIV of the REACH Regulation.

This product information is based on the current state of our knowledge and experiences.

We are happy to answer any further questions you may have.

Best regards,

Dr. Hahn GmbH & Co. KG



Ulli Cremers

QMB

Mönchengladbach, den 24.06.2013